

# Product datasheet

Specifications



## PratiKa socket - screw - straight - 16A - 2P + E - 200...250 V AC - panel

PKF16G723

### Main

Range	Mureva
Product or component type	Socket
Device short name	Mureva socket
Plug, socket category	Low voltage
poles description	2P + E
Network type	AC
Outlet standard	Industrial

### Complementary

mounting mode	Panel-mounted
Plug, socket, control station shape	Straight
[In] rated current	16 A
[Ue] rated operational voltage	200...250 V
Network frequency	50/60 Hz
ground lug clockwise position	6 h
Plug, socket material	Housing: self-extinguishing engineering polymer
Contacts material	Sleeves: brass
Connections - terminals	Captive screws
Cable cross section	1...4 mm <sup>2</sup>
Net weight	0.148 kg
Base dimension	65 x 85 mm
Colour	Grey (RAL 7035)
Voltage colour	Blue

### Environment

Standards	IEC 60309-1 IEC 60309-2
IP degree of protection	IP67 conforming to IEC 60529
IK degree of protection	IK08 conforming to EN 62262
Fire resistance	850 °C conforming to IEC 60695-2-1
Relative humidity	50 % at 40 °C 70 % at 30 °C 90 % at 20 °C

---

Ambient air temperature for operation	35 °C ( 86400 s )
---------------------------------------	-------------------

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	7.1 cm
------------------	--------

---

Package 1 Width	7.6 cm
-----------------	--------

---

Package 1 Length	8.9 cm
------------------	--------

---

Package 1 Weight	136.0 g
------------------	---------

---

Unit Type of Package 2	BB1
------------------------	-----

---

Number of Units in Package 2	10
------------------------------	----

---

Package 2 Height	12.4 cm
------------------	---------

---

Package 2 Width	26.8 cm
-----------------	---------

---

Package 2 Length	26.8 cm
------------------	---------

---

Package 2 Weight	1.472 kg
------------------	----------

---

Unit Type of Package 3	S03
------------------------	-----

---

Number of Units in Package 3	30
------------------------------	----

---

Package 3 Height	30.0 cm
------------------	---------

---

Package 3 Width	30.0 cm
-----------------	---------

---

Package 3 Length	40.0 cm
------------------	---------

---

Package 3 Weight	4.903 kg
------------------	----------

## Contractual warranty

---

Warranty	18 months
----------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information [Yes](#)

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations