

Product datasheet

Specifications



Wireless repeater, New Unica, 300Mbps, white

NU360518

Main

Range	New Unica
Product or component type	Wireless repeater
Device application	Repeater
Device mounting	Flush
Device presentation	Mechanism with cover plate
Colour tint	White

Complementary

Communication port protocol	IEEE 802.11 b/g/n
Transmission rate	300 Mbps (MCS15, 40 MHz)
Network security encrypting	WPA2-PSK
Actuator	Push-button
Switch application	On/off switching
Control type	ON/OFF button
Integrated connection type	Wi-Fi
fixing mode	Clip-on support
Height	45 mm
Width	45 mm
Depth	39 mm
Product weight	0.53 kg
Market segment	Residential
Targeted channel	Professional
resistance to chemical agents	Resistant to alcohol (70 %) Resistant to alcohol (96 %) Resistant to A-Lactic Acid Resistant to diluted quaternary ammonium Resistant to diluted bleach Resistant to diluted ammonia Resistant to soapy water Resistant to crystal cleaner Resistant to hydrogen peroxide 10 volumes Resistant to hexane

Environment

IP degree of protection	IP20
Standards	IEEE 802.11 b/g/n

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ambient air temperature for operation	-20...40 °C
Ambient air temperature for storage	-30...60 °C

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	6.8 cm
------------------	--------

Package 1 Width	7.5 cm
-----------------	--------

Package 1 Length	9.4 cm
------------------	--------

Package 1 Weight	107.0 g
------------------	---------

Unit Type of Package 2	S03
------------------------	-----

Number of Units in Package 2	60
------------------------------	----

Package 2 Height	30.0 cm
------------------	---------

Package 2 Width	30.0 cm
-----------------	---------

Package 2 Length	40.0 cm
------------------	---------

Package 2 Weight	6.956 kg
------------------	----------

Unit Type of Package 3	P12
------------------------	-----

Number of Units in Package 3	960
------------------------------	-----

Package 3 Height	75.0 cm
------------------	---------

Package 3 Width	80.0 cm
-----------------	---------

Package 3 Length	120.0 cm
------------------	----------

Package 3 Weight	123.796 kg
------------------	------------

Contractual warranty

Warranty (in months)	24
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

SCIP Number

3c5fd263-5886-46e0-9f81-2f2df20af3de

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability

[End of Life Information](#)

Take-back

No

WEEE Label


 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative



