


A photograph of an office interior featuring cubicles with white desks and blue partitions. The ceiling is a grid of recessed fluorescent lights. A large, semi-transparent red diagonal graphic cuts across the right side of the image. The text 'CLASSIC LED PANEL' is overlaid in white, bold, sans-serif font on the left side of the image.

# CLASSIC LED PANEL



## Product Code


Classic LED Panel 30\*120 LED

## Color

Matt White


## General Specifications

Product type : LED Panel 30x120  
 Mounting type : Recessed – Surface - Suspended  
 Description : Classic LED panel with small height is ideal for retrofitting the fluorescent fixtures which provide a better illumination conditions, visually comfortable and uniform light.  
 Category : Indoor light  
 Applications : Offices, schools, hospitals, banks and supermarkets.



## Lighting Specifications

Wattage : 42 W  
 Delivered lumen : > 4620 lm  
 Efficiency : > 110 lm/W  
 Power Factor : > 0.9  
 CRI : ≥ 80  
 Color temperature : 3000 k : 6500 k  
 Rated lifetime : 50,000 hrs.



## Physical Specifications

Body : Aluminum frame  
 Finishes : Electrostatic painting  
 Diffuser : PMMA / PC  
 Thermal Dissipation : Passive

## Electrical Specifications

Driver : Included  
 Driver mounting : Separated  
 Voltage : 198-264 VAC  
 Frequency : 50 Hz


## Optical Specifications

Aiming : Fixed  
 Light distribution : Symmetric  
 Light emission : Direct  
 Beam angle : 111°

## Dimensions

Mounting	Length (mm)	Width (mm)	Height (mm)
Recessed	595	595	10
Surface	605	605	50


## Pictures & Accessories



## Applications



BANKS



SCHOOLS



OFFICES



SHOPPING



HOSPITALS