



ZODIACII







Product Code

ZODIAC II 200w

Color

Black

General Specifications

Product type : Flood Light

Mounting type : By bracket

Description : Zodiac II floodlights are ideal for outdoor use that ensure and excellent quality of light, it has an optimized weight and size due to its compact design, very homogenous light, energy saving up to 90% comparing to traditional floodlights.

Category : Outdoor light

Applications : Warehouse, parking, advertising signs and façade lighting.

Lighting Specifications

Wattage	: 200 w
Delivered lumen	: 20000 lm
Efficacy	: ≥ 100 lm/w
Power Factor	: 0.95
CRI	: ≥ 80
Color temperature	: 3000 K : 6500 K
Rated lifetime	: 30,000 hrs.

Physical Specifications

Body	: High pressure die cast aluminum housing
Finishes	: Electrostatic painting
Diffuser	: Toughened glass, high strength, impact resistance
Thermal Dissipation	: Passive

Electrical Specifications

Driver	: Included
Driver mounting	: Integrated
Voltage	: 185-265 VAC
Frequency	: 50 Hz

Dimensions


Width	: 230 mm
Depth	: 45mm
Height	: 420 mm

Optical Specifications


Aiming	: (Fixing arm) Rotatable 180°
Light distribution	: Symmetric
Light emission	: Direct
Beam angle	: 110°

ZODIAC II

Photometric



Cone Diagram



Pictures & Accessories



Applications

