

Product datasheet

Specifications

Schneider OffGrid Portable Solar Panel, 200W



PSP200

Main

Range of product	Schneider OffGrid
Product or component type	Solar panel
Number of output connectors	(1) DC7909, 20.97 V ,DC, 9.57 A(200 W)

Complementary

Height	55 mm
Length	55 cm
Width	555.5 mm
Product weight	7.0 kg
Provided equipment	User manual
IP degree of protection	IP65
Charging temperature	-40...80 °C -40...80 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.5 cm
Package 1 Width	62.5 cm
Package 1 Length	59.0 cm
Package 1 Weight	8.1 kg
SCC14	10731304736827

Contractual warranty

Warranty (in months)	24
----------------------	----

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Take-back

No

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative




Image of product in real life situation

